

WALSIN LIHWA CORPORATION YENSHUI STAINLESS STEEL DIV.  
 QUALITY ENGINEERING SECTION



WALSIN LIHWA CORP.  
**Safety Data Sheet**

**To : Zing Zang Metal CO.,LTD.**

Date : 2022/01/14

<b>I. Material and Manufacturer Identification</b>		
WALSIN LIHWA CORP. TRADE MARK :		304
Product Name : Stainless Steel Bar		
Chemical Family : Solid Metal		
Manufacturer : WALSIN LIHWA CORP.		
No. 3-10, Shi Jou Liao Chin Shuei Li, Yenshuei Dist 73743 Tainan City, Taiwan, R.O.C.		
Tel : (886) 6-652-0911		
<b>II. Hazards Identification</b>		
<p>WALSIN LIHWA CORP. stainless steels, in the various solid forms, as delivered, are <b>NOT</b> known to present immediate inhalation, ingestion, contact or fire health hazards. In such cases, extra precautions appropriate to the operation and industry safety standards should be taken. However, operations such as welding, burring, melting, brazing, peeling, grinding, polishing, and machining etc, which results in the generation of airborne particle or dust may present <b>Potential health hazard.</b></p> <ul style="list-style-type: none"> <li>● <b>Inhalation</b> : Excessive exposed high concentration of dust or metallic particle may cause irritation to the eye, skin and the upper respiratory system. Symptoms consist of chills and fever, metallic taste in the mouth, dryness and irritation of the throat followed by weakness and muscle pain.</li> <li>● <b>Eye</b> : Particles of metallic compounds or dust, which become imbedded in the eyes, may cause stains unless removed fairly promptly. Welding or burning operations on steel or steel products with coatings may present emissions that can be irritating to the eyes.</li> <li>● <b>Skin</b> : Skin contact with dusts may cause irritation or sensitization.</li> <li>● <b>Ingestion</b> : Highly unlikely</li> <li>● <b>Chronic Effects</b> :</li> </ul> <p>Listed as below are certain potential health effects, which apply to hazardous ingredients were found in steel solid metal :</p> <ul style="list-style-type: none"> <li>→ <b>Chromium</b> : Suspect carcinogen. Acute effects - Bronchial irritation. Chronic effects - Possible chronic bronchitis, histological fibrosis of lungs, asthma, allergic dermatitis, ulcerations of skin and nasal cavities.</li> <li>→ <b>Copper</b> : (Fume) Acute effects - Moderate irritation of eyes, nose, and throat lungs. Metal Fume Fever Chills, nausea fever, dry throat cough metallic taste. Chronic effects - Irritation of lungs. Discoloration of skin, hair.</li> <li>→ <b>Copper</b> : (Dust and Mist) Acute effects - Mild irritation of eyes, nose, throat and skin. Metallic taste. Chronic effects - Irritation of lungs. Dermatitis.</li> </ul>		
2022/1/14		
J. C. Tsong	Kai-yeh	Tsung-Lin Hsieh

WALSIN LIHWA CORPORATION YENSHUI STAINLESS STEEL DIV.  
 QUALITY ENGINEERING SECTION



- **Iron:** (Oxide Fume) Acute effects – None. Chronic effects – Repeated exposure over time may cause lung changes. Benign pneumoconiosis. X-Ray shadows indistinguishable from fibrosis pneumoconiosis.
- **Manganese:** Acute effects - May cause metal fume fever: chills, fever, cough, muscle aches, difficulty in breathing. Chronic effects – Cumulative central nervous system damage. (Parkinson like syndrome). Lung damage. Asthenia. Insomnia. Malaise.
- **Molybdenum:** Acute effects – Irritation of eyes, nose, throat. Weight loss. Chronic effects - Cumulative liver and kidney damage. Pneumoconiosis. Blood disorders.
- **Nickel:** Suspect carcinogen. Acute effects – Respiratory irritation, possibly leading to respiratory disease. Chronic effects – Cumulative lung damage. Possible cancer of lungs and nasal cavity. Dermatitis.
- **Silicon:** Nuisance particulate. Acute effects – Accumulation in lungs, causing respiratory tract irritation. Chronic effects – Non-toxic, but a high temperature, silicon can be transformed into silica, posing a silicosis hazard.

### III. Composition / Information on Ingredients

Element	Weight %	CAS number
C (carbon)	0.080max	7440-44-0
Si (Silicon)	1.00max	7440-21-3
Mn (Manganese)	2.00max	7439-96-5
P (Phosphorous)	0.045max	7723-14-0
S (Sulfur)	0.030max	7704-34-9
Ni (Nickel)	8.00~10.50	7440-02-0
Cr (Chromium)	18.00~20.00	7440-47-3
Mo (Molybdenum)		7439-89-6
Cu (Copper)		7440-50-8
Al (Aluminum)		7429-90-5
N (Nitrogen)	0.100max	7727-37-9
Ti (Titanium)		7440-32-6
Nb (Niobium)		7440-03-1
V (Vanadium)		7440-62-2
B (Boron)		7440-42-8
Fe (Iron)	Balance	7439-89-6

### IV. First Aid Measures

Utilize standard first-aid procedures as normally administered for situations resulting from day-to-day operation.

**Inhalation :** Move individual to fresh air, if breathing is difficult or has stooped, administer artificial respiration or oxygen as indicated.

**Skin :** Wash immediately with water and mild antiseptic detergent.

**Eye :** Flush with water.

**Ingestion :** Highly unlikely.

### V. Fire-Fighting Measures

None. Product is a metallic solid in wire, rod, bar, strip, sheet, plate or disc form

WALSIN LIHWA CORPORATION YENSHUI STAINLESS STEEL DIV.  
 QUALITY ENGINEERING SECTION



<b>VI. Accidental Release Measures</b>	
None. Product is a metallic solid state.	
<b>VII. Handling and Storage</b>	
<b>Handling:</b> High concentration of airborne particle or dust should be evaluated and controlled as well, and avoid breathing metal fumes.	
<b>Storage:</b> Keep away from acid solution/gas and incompatible material.	
<b>VIII. Exposure Controls / Personal Protection</b>	
Respiratory Protection	In manufacturing or handling procedures creating dust or fumes – approved respirators should be worn to limit unnecessary inhalation of potentially hazardous dust particles or fumes.
Skin and Eye Protection	Protective clothing, gloves and glasses should be worn as warranted by the manufacturing operation.
Ventilation	In manufacturing or handling procedures creating dust or fumes, exhaust systems should be utilized to exhaust potentially harmful dust particles or fumes.
<b>IX. Physical and Chemical Properties</b>	
Physical State : Solid	
Appearance and Odor : Metallic Gray/Odorless	Flammability(Solid, Gas) : None
Melting Point : 1375-1450	Auto-ignition Temperature : None
Specific Gravity : 8.00	Flash Point : N/A
Boiling Point : N/A	Explosion Limit : N/A
Vapor Pressure : N/A	Decomposition Temperature : N/A
Vapor Density : N/A	pH Value : N/A
Evaporation Rate : N/A	Partition Coefficient (n-octanol/water, log <sub>Kow</sub> ) : N/A
Solubility in Water : N/A	
<b>X. Stability and Reactivity</b>	
Stability : Stable	Incompatibility : N/A
Hazardous decomposition : N/A	Hazardous polymerization : N/A
<b>XI. Toxicological Information</b>	
None, no information is available for the product as solid metal preparation and article.	
<b>XII. Ecological Information</b>	
None, steel products in wire, rod, bar and other forms do not present an ecological hazard.	
<b>XIII. Disposal Considerations</b>	
Steel Scrap, dusts or fumes all should be recycled whenever possible.	
<b>XIV. Transport Information</b>	
In the case of heavy product, exercise care for prevention of load shifting. It is desirable to cover the product with tarpaulin or the like to prevent infiltration of rain water, etc.	
<b>XV. Regulatory Information</b>	
No specific information	
<b>XVI. Other Information</b>	
References :	
(1)"Safety Data Sheet for Chemical Products" Part 1 "Content and Order of Sections"	
(2)Globally Harmonized System of Classification and Labeling of Chemicals (GHS) (Rev.4)	